

# **Material Safety Data Sheet**



## **Section 1 Company and Product Identification**

L. Robinson & Company (Gillingham) Limited, Incorporating Jubilee Clips Limited Owens Way, Gads Hill, Gillingham, Kent, ME7 2RS

Tel: +44 (0)1634 281200 Fax: +44 (0)1634 280101

Email: <a href="mailto:sales@jubileeclips.co.uk">sales@jubileeclips.co.uk</a>

Jubilee Multiband 7mm Stainless Steel (W4) Range

Description	Working Diameter		Band Thickness	Recommended Torque	Max Torque	Max Pressure
	Min mm	Max mm	mm	Nm	Nm	PSI
Band	35	500	0.56	3.0	4.0	N/A


Description	Height	Width	Length	Fastening
Stainless Steel/Flip Lock Housing and Screw	14.00mm	13.50mm	20.00mm	Slotted cheese head


Part No. Description


MB1601 7mm Banding 25m MB1602 7mm Banding 50m

MB1603 25 x 7mm Housing and Screws

MB1607 7mm Pocket Pack 8m Band and 10 Housings & Screws







## Section 2 Composition/Information on Ingredients

Composition/Information on constituents of iron alloy.

 Manganese
 < 11%</td>

 Chromium
 < 30%</td>

 Nickel
 < 38%</td>

 Mo
 < 8 %</td>

Other elements vary such as Si, Cu, Ti, in each alloy composition and are generally not classified as hazardous, or are below the concentration levels for classification of these alloys as hazardous, and are not subject to recognised exposure limits.

#### **Section 3 First Aid Measures**

Inhalation: There are no specific symptoms associated with steel in the product forms. Skin: There are no specific symptoms associated with steel in the product forms.

Eyes: Not applicable. Ingestion: Not applicable.

## **Section 4 Fire Fighting Measures**

Non flammable

## **Section 5 Handling and Storage**

Store in a dry area

## **Section 6 Physical and Chemical Properties**

Colour: Metallic grey/silver

Smell: None Form/state: Solid Melting point: 1454 °C Max service temp: 870°C -196 °C Min service temp: Magnetism:  $1.008 \mu$ 72 μΩ Resistance: Density: 8.03 g/cm<sup>3</sup>

## **Section 7 Stability and Reactivity**

Stability: Stable in normal condition

Reacts with: Reacts with strong acids, and hydrogen is then one of the substances emitted.

Welding/flame cutting may produce Zinc Oxide fumes.

Corrosion Resistance: NSS (Neutral Salt Spray tests) 1000hours

### **Section 8 Toxicological Information**

Nickel is classified as a skin sensitizer however numerous patch tests have established that most stainless steels do not cause sensitization, but a few types may result in allergic skin reactions in sensitized individuals after prolonged contact.

No carcinogenic effects resulting from exposure to stainless steels have been reported, either in epidemiological studies or in tests with animals.

#### **Section 9 Ecological Information**

No ecological effects are known for the product as a whole.

## **Section 10 Disposal Considerations**

Disposal method: Recyclable, Jubilee® clips' Stainless Steel 7mm Multiband range is made from key raw

material for the production of new steel. Steel is the world's most recycled

construction material and can be recycled with retained material properties.

#### **Section 11 Transport Information**

No special requirements are necessary in transporting these products.

## **Section 12 Regulatory Information**

This product conforms to EU Regulation 1097/2006 (REACH)
This product is compliant with EU directive 2011/65/EU (ROHS2)
BS EN ISO 9001:2008 FM00547

BS EN ISO 14001:2004 EMS573195 BS OHSAS 18001:2007 OHS601983

#### **Section 13 Other Information**

The information above is believed to be accurate and represents the best information currently available to L. Robinson & Co Ltd. However, L. Robinson & Co Ltd make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall L. Robinson & Co Ltd be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if L. Robinson & Co Ltd has been advised of the possibility of such damages.

Document Issue Date: 27th March 2015

**Revision Number:** 11