



Material Safety Data Sheet




Section 1 Company and Product Identification

L. Robinson & Company (Gillingham) Limited,
 Incorporating Jubilee® Clips Limited
 Owens Way, Gads Hill,
 Gillingham,
 Kent,
 ME7 2RS

Tel: +44 (0)1634 281200
 Fax: +44 (0)1634 280101

Email: sales@jubileeclips.co.uk
[http:// www.jubileeclips.co.uk](http://www.jubileeclips.co.uk)

Jubilee® Zinc Plated Mild Steel (W1) Light Range,



Part Number	Adjustment		Band Width (W) mm	Band Thickness (T) mm	(Y) mm	Recommended Torque Nm	Max Torque Nm	Recommended Max Pressure PSI
	mm	Inches						
000MS	9.5 - 12	3/8 - 1/2	9.9	0.762	12.5	3.4	4.5	203
M00MS	11 - 16	1/2 - 5/8	9.9	0.762	12.5	3.4	4.5	203
00MS	13 - 20	1/2 - 3/4	9.9	0.762	12.5	3.4	4.5	203
LR022MS	12 - 22	1/2 - 7/8	9.9	0.762	12.5	3.4	4.5	182
LR027MS	16 - 27	5/8 - 1 1/16	9.9	0.762	12.5	4.5	6.0	182
LR032MS	20 - 32	13/16 - 1 1/4	9.9	0.762	12.5	4.5	6.0	92
LR040MS	25 - 40	1 - 1 9/16	9.9	0.762	12.5	4.5	6.0	92
LR045MS	30 - 45	1 3/16 - 1 3/4	9.9	0.762	12.5	4.5	6.0	92
LR050MS	32 - 50	1 1/4 - 2	9.9	0.762	12.5	4.5	6.0	92
LR060MS	40 - 60	1 9/16 - 2 3/8	9.9	0.762	12.5	4.5	6.0	92
LR070MS	50 - 70	2 - 2 3/4	9.9	0.762	12.5	4.5	6.0	92
LR080MS	60 - 80	2 3/8 - 3 1/8	9.9	0.762	12.5	4.5	6.0	39
LR090MS	70 - 90	2 3/4 - 3 9/16	9.9	0.762	12.5	4.5	6.0	39
LR0100MS	80 - 100	3 1/8 - 4	9.9	0.762	12.5	4.5	6.0	39
LR0110MS	90 - 110	3 9/16 - 4 5/16	9.9	0.762	12.5	4.5	6.0	39
LR0120MS	100 - 120	4 - 4 3/4	9.9	0.762	12.5	4.5	6.0	39
LR0130MS	110 - 130	4 5/16 - 5 1/8	9.9	0.762	12.5	4.5	6.0	39
LR0140MS	120 - 140	4 3/4 - 5 1/2	9.9	0.762	12.5	4.5	6.0	39
LR0150MS	130 - 150	5 1/8 - 6	9.9	0.762	12.5	4.5	6.0	17
LR0160MS	140 - 160	5 1/2 - 6 5/16	9.9	0.762	12.5	4.5	6.0	17

Section 2 Composition/Information on Ingredients

Composition/Information on constituents zinc coated iron alloy

Carbon	< 0.12%
Silicon	< 0.3%
Manganese	< 1.66%
Phosphorus	< 0.02%
Sulphur	< 0.004%
Chromium	< 0.5%
Aluminium	> 0.02%

Zinc coat, Coating weight < 500g/m²

Coating composition:

Zinc	> 99.6% by wt
Aluminium	< 0.4% by wt
Trace elements*	< 0.003% by wt

*Sum of Pb and Cd

7mm AF Hex Fastening, CRVI free plating

Section 3 First Aid Measures

Inhalation:	There are no specific symptoms associated with steel in the product forms.
Skin:	There are no specific symptoms associated with steel in the product forms.
Eyes:	Not applicable.
Ingestion:	Not applicable.

Section 4 Fire Fighting Measures

Non flammable

Section 5 Handling and Storage

Store in a dry area

Section 6 Physical and Chemical Properties

Colour:	Metallic grey/silver
Smell:	None
Form/state:	Solid
Melting point:	1425 °C - 1540 °C
Max service temp:	426 °C
Min service temp:	-45 °C
Magnetism:	1500-2000 μ
Resistance:	17.2 μΩ
Density:	7.83 g/cm ³

Section 7 Stability and Reactivity

Stability:	Stable in normal condition
Reacts with:	Reacts with strong acids, and hydrogen is then one of the substances emitted. Welding/flame cutting may produce Zinc Oxide fumes.
Corrosion Resistance:	NSS (Neutral Salt Spray tests) 240hours

Section 8 Toxicological Information

Not applicable to steel in the product forms.

Section 9 Ecological Information

No ecological effects are known for the product as a whole.

Section 10 Disposal Considerations

Disposal method: Recyclable, Jubilee® clips' Zinc Plated Mild Steel Light Range are made from key raw material for the production of new steel. Steel is the world's most recycled construction material and can be recycled with retained material properties.

Section 11 Transport Information

No special requirements are necessary in transporting these products.

Section 12 Regulatory Information

This product conforms to EU Regulation 1097/2006 (REACH)
This product is compliant with EU directive 2011/65/EU (ROHS2)
BS EN ISO 9001:2008 FM00547
BS EN ISO 14001:2004 EMS573195
BS OHSAS 18001:2007 OHS601983
Manufactured to BS5315:1991

Quality Assurance:



Section 13 Other Information

The information above is believed to be accurate and represents the best information currently available to L. Robinson & Co Ltd. However, L. Robinson & Co Ltd make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall L. Robinson & Co Ltd be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if L. Robinson & Co Ltd has been advised of the possibility of such damages.

Document Issue Date: 18th April 2019

Revision Number: 12